


RoHS


Circuit 1



3.96±0.10


DIM A±0.25

DIM B±0.3



16.0±0.25

6.3



CUST INFORMATION.

PART NO.	DRAWING NO.	REV.
NA	NA	NA

Specifications:

- 1.Current rating:7A AC,DC
- 2.Voltage rating:250V AC,DC
- 3.Temperature range:-40°C~+105°C
- 4.Contact resistance:10mΩMax.
- 5.Insulation resistance:1000MΩMin.
- 6.Withstanding voltage:1500V AC/minute
- 7.Material:PA66 UL94V-2
- 8.Bill Of Part No.:

FU3961H-AXP-X-HF


Pin:	Material Color
2	A : White
3	B : Black
4	C : Red
.	D : Orangr
.	E : Yellow
.	F : Green
.	.
.	.
.	.

9.Ordering Information & Dimensions

48.03	43.56	12
44.07	39.60	11
40.11	35.64	10
36.15	31.68	9
32.19	27.72	8
28.23	23.76	7
24.27	19.80	6
20.31	15.84	5
16.35	11.88	4
12.39	7.92	3
8.43	3.96	2
DIM B	DIM A	PIN

TOLERANCE

X. X.XXX ±0.1
X.X ±0.30
X.XX ±0.20



UNIT:
mm

DWG TYPE.

Customer Drawing

PART NO.

FU3961H-AXP-X-HF

DRAWING NO.

C-FU3961H-AXP-X-HF

APPROVED BY

CHECKED BY

DRAWN BY

PAGE
1 OF 1

SCALE
5: 1

REV.

A

东莞市福朗连接器制造有限公司
DongGuan FuLang Connector Manufacturing Co., LTD

TITLE.

3.96mm Pitch Wire To Board Housing

A		For New Drawing	GuobaoLi	2017.12.05
REV.	ECN NO	REVISION RECORD	DRAW	DATE

RoHS

Circuit 1

CUST INFORMATION.

PART NO.	DRAWING NO.	REV.
NA	NA	NA

Specifications:

- 1.Current rating:7A AC,DC
- 2.Voltage rating:250V AC,DC
- 3.Temperature range:-40°C~+105°C
- 4.Contact resistance:10mΩMax.
- 5.Insulation resistance:1000MΩMin.
- 6.Withstanding voltage:1500V AC/minute
- 7.Material:PA66 UL94V-2
- 8.Bill Of Part No.:

FU3961H-XP-X-HF

Pin:	Material Color
2	A : White
3	B : Black
4	C : Red
.	D : Orangr
.	E : Yellow
.	F : Green
.	.
.	.

9.Ordering Information & Dimensions

48.03	43.56	12
44.07	39.60	11
40.11	35.64	10
36.15	31.68	9
32.19	27.72	8
28.23	23.76	7
24.27	19.80	6
20.31	15.84	5
16.35	11.88	4
12.39	7.92	3
8.43	3.96	2
DIM B	DIM A	PIN

TOLERANCE

X.	X.XXX ±0.1
X.X ±0.30	
X.XX ±0.20	Angular ±2°

UNIT:
mm

DWG TYPE.

Customer Drawing

PART NO.

FU3961H-XP-X-HF

DRAWING NO.

C-FU3961H-XP-X-HF

APPROVED BY

CHECKED BY

DRAWN BY

PAGE
1 OF 1

REV.

SCALE
5: 1

A

东莞市福朗连接器制造有限公司
DongGuan FuLang Connector Manufacturing Co., LTD

TITLE.

3.96mm Pitch Wire To Board Housing

RoHS

Circuit 1

CUST INFORMATION.

PART NO.	DRAWING NO.	REV.
NA	NA	NA

Specifications:

- 1.Current rating:7A AC,DC
- 2.Voltage rating:250V AC,DC
- 3.Temperature range:-40°C~+105°C
- 4.Contact resistance:10mΩMax.
- 5.Insulation resistance:1000MΩMin.
- 6.Withstanding voltage:1500V AC/minute
- 7.Material:PA66 UL94V-2
- 8.Bill Of Part No.:

FU3961H-XP-X-HF

Pin:	Material Color
2	A : White
3	B : Black
4	C : Red
.	D : Orangr
.	E : Yellow
.	F : Green
.	.
.	.

9.Ordering Information & Dimensions

48.03	43.56	12
44.07	39.60	11
40.11	35.64	10
36.15	31.68	9
32.19	27.72	8
28.23	23.76	7
24.27	19.80	6
20.31	15.84	5
16.35	11.88	4
12.39	7.92	3
8.43	3.96	2
DIM B	DIM A	PIN

TOLERANCE

X.	X.XXX ±0.1
X.X ±0.30	
X.XX ±0.20	Angular ±2°

UNIT:
mm

DWG TYPE.

Customer Drawing

PART NO.

FU3961H-XP-X-HF

DRAWING NO.

C-FU3961H-XP-X-HF

APPROVED BY

CHECKED BY

DRAWN BY

PAGE
1 OF 1

REV.

SCALE
5: 1

A

东莞市福朗连接器制造有限公司
DongGuan FuLang Connector Manufacturing Co., LTD

TITLE.

3.96mm Pitch Wire To Board Housing

RoHS

CUST INFORMATION.

PART NO.	DRAWING NO.	REV.
NA	NA	NA

Specifications:

- 1.Current rating:7A AC,DC
- 2.Voltage rating:250V AC,DC
- 3.Temperature range:-40°C~+105°C
- 4.Contact resistance:10mΩMax.
- 5.Insulation resistance:1000MΩMin.
- 6.Withstanding voltage:1500V AC/minute
- 7.Material:PA66 UL94V-2
- 8.Bill Of Part No.:

FU3961H-BXP-X-HF

Pin: Material Color
2 A : White
3 B : Black
4 C : Red
. D : Orangr
. E : Yellow
. F : Green
. .
. .

9.Ordering Information & Dimensions

48.03	43.56	12
44.07	39.60	11
40.11	35.64	10
36.15	31.68	9
32.19	27.72	8
28.23	23.76	7
24.27	19.80	6
20.31	15.84	5
16.35	11.88	4
12.39	7.92	3
8.43	3.96	2
DIM B	DIM A	PIN

TOLERANCE

X. X.XXX ±0.1
X.X ±0.30
X.XX ±0.20



Angular ±2°

UNIT:
mm

DWG TYPE.

Customer Drawing

PART NO.

FU3961H-BXP-X-HF

DRAWING NO.

C-FU3961H-BXP-X-HF

APPROVED BY

CHECKED BY

DRAWN BY

PAGE
1 OF 1SCALE
5: 1

REV.

A

东莞市福朗连接器制造有限公司
DongGuan FuLang Connector Manufacturing Co., LTD

TITLE.

3.96mm Pitch Wire To Board Housing

A		For New Drawing	GuobaoLi	2017.12.05
REV.	ECN NO	REVISION RECORD	DRAW	DATE

1 2 3 4 5 6

Circuit 1

3.96±0.10

DIM A±0.25

DIM B±0.3

16.0±0.25

8.3

6.3

6 QMI-P17-06-05